
Pressure measurement and

pressure m under harshest





lar are exposed to extreme pressure peaks that exceed normal industrial standards. That is why the outstanding overpressure and burst pressure performance of our products are the ideal solution.

onitoring conditions







Our newly developed pressure switch series with integrated connector, such as Deutsch, AMP Superseal, AMP Junior Timer, Bayonett DIN 72585 or Packard MetriPack have successfully been proven many times. They are a popular choice for use in big quantities in steering hydraulics, hydraulic drives and braking systems.









Dust, dirt, moisture construction machines have to endure many challenges. SUCO pressure monitoring systems are protected to IP6K9K of IP67 standards and can resist the water jets of high pressure cleaners, allowing the professional cleaning of the machinery.



SUCO products meet the following international standards:

DIN EN ISO 9001:2008









A solution for every

application





We are represented in more than

40 countries

www.suco.de

Find our worldwide sales network on the internet.



Suco Robert Scheuffele GmbH & Co. KG Keplerstrasse 12–14 74321 Bietigheim-Bissingen Germany

Phone +49 (0)7142 | 597-0 Fax +49 (0)7142 | 98 01 51 E-Mail info@suco.de



For decades SUCO has been producing reliable centrifugal clutches for a wide range of construction machinery. Our products can be found in systems such as demolition crews, tampers and agitator plates.

